

Universe	Operators
Type	Verticality
Category	Carabiners And Quickdraws
Subcategory	Locking Carabiners



ATTACHE

Thanks to its compact shape and SCREW-LOCK locking system, the ATTACHE is designed for multiple uses related to belaying: connecting a belay system to a harness, belaying with a Munter hitch... It has an H cross-section to reduce weight, as well as the Keylock system to avoid the carabiner snagging during maneuvers.



The bottom of the carabiner is wider for better rope glide and reduced wear on the carabiner.



SCREW-LOCK locking sleeve for good handling and effective locking. Visual indicator facilitates checking that the carabiner is locked.

Short Description Compact, lightweight asymmetrical carabiner

Selling Points

- Carabiner optimized for lightness and durability:
 - very compact shape is ideal for belay stations
 - H-shaped cross-section for an optimized strength/weight ratio
 - wider contact surfaces for better rope glide and reduced wear on the carabiner
- Easy to use, for efficient handling:
 - SCREW-LOCK locking sleeve for good handling and effective locking
 - visual indicator facilitates checking that the carabiner is locked
 - nose and Keylock system designed to prevent the carabiner from snagging during maneuvers
 - carabiner designed for better rope glide and to ensure good positioning of the belay device
 - shape adapted for easy tying or untying of a clove hitch
- Also available in black

Specification

- Material(s): aluminum
 - Certification(s): CE EN 12275 type H, UIAA
-

Specifications by reference

Reference(s)	M38A SL	M38A SLN
		
Weight	56 g	56 g
Locking system	SCREW-LOCK	SCREW-LOCK
Color(s)	Orange	Black
Major axis strength	22 kN	22 kN
Minor axis strength	7 kN	7 kN
Open gate strength	6 kN	6 kN
Gate opening	24 mm	24 mm
Made in	FR	FR
Guarantee	3 years	3 years
Inner Pack Count	1	1
Quantity Per Box	20	20
EAN	3342540097711	3342540098442